
LUMINAIRE PHOTOMETRIC TEST REPORT

Report number:

MANUFACTURER: Lamppukauppa Led Store Oy		
ADDRESS: Mesikukantie 16, 01300 VANTAA | www.ledstore.fi		
NAME: Compatible LED tube 25W, T8 150cm, HIGH CRI95, 4000K, 4100 lumen	SKU: T8-1500-25W-C	TYPE: LED
SPECIFICATION: T8 LED tube	NOTES: Single color	MEASURED BY: Lamppukauppa Led Store Oy

DATA OF LAMP		Imax(cd)	1286	S/MH(C0/180)	1.26
MODEL		EFFICIENCY(%)	100.0	S/MH(C90/270)	1.26
NOMINAL POWER(W)	25	TOTAL FLUX(lm)	4112.2	Voltage(V)	230.0
RATED VOLTAGE(V)	220.0	EFFICIENCY(lm/W)	167.1	Current(A)	0.107
NOMINAL FLUX(lm)	4112.3	η up(%)	0.0	Power(W)	24.61
LAMPS QUANTITY	1	η down(%)	100.0	Power Factor(PF)	1.000
TEST VOLTAGE(V)	230.0	Effictive Flux(lm)	4112.3	EEI	0.082(A++)

LUMINOUS INTENSITY DISTRIBUTION



AVERAGE BEAM ANGLE(45%):132.4 DEG


Test System:HopooColor HP880
Temperature:25.3DEG
Operators:
Test Date:09-20-2024


Test Set: 5.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:2.000 m
Remarks:

Spectrum Chart

Report number:

MANUFACTURER: Lamppukauppa Led Store Oy		
ADDRESS: Mesikukantie 16, 01300 VANTAA | www.ledstore.fi		
NAME: Compatible LED tube 25W, T8 150cm, HIGH CRI95, 4000K, 4100 lumen	SKU: T8-1500-25W-C	TYPE: LED
SPECIFICATION: T8 LED tube	NOTES: Single color	MEASURED BY: Lamppukauppa Led Store Oy





Avg Chro. Para.

CCT: 4033K Chro. Coor.: xa=0.3819 ya=0.3866 u'a=0.2222 v'a=0.5061 ¦¤u'v'=0.0000

Current Angle: C=0.0¡ã G=0.0¡ã

Chroma Parameters

Chro.Coor.: x=0.3819 y=0.3866 u'=0.2222 v'=0.5061 duv=0.0041

CCT: 4033K Dominant Wave: 576.9nm Purity: 30.6% Light Intensity: 942.9cd

Flux RGB Ratio: R=43.8%,G=38.1%,B=18.2% Peak Wave: 450.6nm Half Width: 24.4nm

Rendering Index: Ra= 96.8

R1 =98	R2 =97	R3 =95	R4 =98	R5 =96	R6 =95	R7 =99	R8 =98
R9 =96	R10=92	R11=98	R12=72	R13=97	R14=97	R15=96	

Instrument State


Scan Range: 380nm-780nmIntegral Time: 150.0ms Peak Signal: 150000 Dark Signal: 55038

Test System:HopooColor HP880 Test Set: 5.0deg/s C-Gamma (TYPE C)
Temperature:25.3DEG Humidity:65.0%
Operators: Test Distance:2.000 m
Test Date:09-20-2024 Remarks:

AVERAGE AND CENTER E Figure

Report number:

MANUFACTURER: Lamppukauppa Led Store Oy		
ADDRESS: Mesikukantie 16, 01300 VANTAA | www.ledstore.fi		
NAME: Compatible LED tube 25W, T8 150cm, HIGH CRI95, 4000K, 4100 lumen	SKU: T8-1500-25W-C	TYPE: LED
SPECIFICATION: T8 LED tube	NOTES: Single color	MEASURED BY: Lamppukauppa Led Store Oy



Angle:132.3deg


Test System:HopooColor HP880
Temperature:25.3DEG
Operators:
Test Date:09-20-2024

Test Set: 5.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:2.000 m
Remarks:

ISOCANDELA DIAGRAM

Report number:

MANUFACTURER: Lamppukauppa Led Store Oy		
ADDRESS: Mesikukantie 16, 01300 VANTAA | www.ledstore.fi		
NAME: Compatible LED tube 25W, T8 150cm, HIGH CRI95, 4000K, 4100 lumen	SKU: T8-1500-25W-C	TYPE: LED
SPECIFICATION: T8 LED tube	NOTES: Single color	MEASURED BY: Lamppukauppa Led Store Oy



Test System:HopooColor HP880
Temperature:25.3DEG
Operators:
Test Date:09-20-2024

Test Set: 5.0deg/s C-Gamma (TYPE C)
Humidity:65.0%
Test Distance:2.000 m
Remarks: